

# DSC

From Tyco Security Products



# PowerSeries

Simply Powerful



The PowerSeries product line from DSC is your one-stop solution for expandable hybrid security systems. Ideal for small to medium-sized commercial customers, the PowerSeries line can be configured to meet your customers' requirements easily and simply. From control panels to sensors/accessories to communications to software solutions/services – the PowerSeries product line has it all.















### **Features that make a difference with the PowerSeries product line**

- Range of compatible products and accessories to suit every need – from small to medium-sized commercial installations
- Over 70 different configurable items to build a security solution
- Designed for compatibility and scalability with existing and future products
- Easy-to-upgrade and add components to minimize expensive replacements
- Robust design reduces false alarms
- Easy to install
- Designed to work fast and withstand extreme situations – backed by the DSC name and reputation
- Exceeds industry-required approvals
- Integrates with Kantech and Software House's access control systems for a unified security solution



# Get the PowerSeries System you need.

Use this convenient worksheet to deliver the best solution for your customers' security needs.






## PowerSeries Keypads

| Product                                                                                       | Description                                                                                                       |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| PTK5507      | TouchScreen security interface. 7" full color display. Menu user programming. Digital picture frame with SD card. |
| PK5500       | 64 zone LCD full-message keypad.                                                                                  |
| RFK5500      | 64 zone LCD full-message keypad with built-in wireless receiver. Supports 32 wireless zones and 16 wireless keys. |
| RFK5564      | 64 zone LCD full-message keypad with built-in wireless receiver. Supports 64 wireless zones and 16 wireless keys. |
| PK5501       | 64 zone LCD picture icon keypad.                                                                                  |
| RFK5501      | 64 zone LCD picture icon keypad. Supports 32 wireless zones and 16 wireless keys.                                 |
| PK5516       | 16 zone LED keypad.                                                                                               |
| RFK5516      | 16 zone LED keypad built-in wireless receiver. Supports 32 wireless zones and 16 wireless keys.                   |
| PK5508      | 8 zone LED keypad.                                                                                                |
| RFK5508    | 8 zone LED keypad with built-in wireless receiver. Supports 32 wireless zones and 16 wireless keys.               |
| WT5500     | 2-way wireless keypad.                                                                                            |
| LED5511Z   | 8 zone LED keypad with large, backlit buttons.                                                                    |
| LCD5511    | 64 zone icon LCD keypad with large, backlit buttons.                                                              |
| PC1555RKZ  | 8 zone LED keypad with status lights.                                                                             |






## PowerSeries Control Panels

| Product                                                                                     | Description                                                                                                                                                |
|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PC1616   | 6 on-board zones. Expandable up to 16 hardwired zones. Expandable up to 32 wireless zones. 500-event buffer. Up to 8 keypads. 2 partitions. 48 user codes. |
| PC1832   | 8 on-board zones. Expandable up to 32 hardwired zones. Expandable up to 32 wireless zones. 500-event buffer. Up to 8 keypads. 4 partitions. 72 user codes. |
| PC 1864  | 8 on-board zones. Expandable up to 64 hardwired zones. Expandable up to 32 wireless zones. 500-event buffer. Up to 8 keypads. 8 partitions. 95 user codes. |





## Zone Expanders and Wireless Receivers

| Product    |                                                                                   | Description                                                                             |
|------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| PC5108     |  | Adds 8 hardwire zones.                                                                  |
| PC5100     |  | Adds up to 32 addressable detectors with easy detector enroll process.                  |
| RF5132-443 |  | Supports 32 wireless zones and 16 wireless keys. Fully supervised.                      |
| PC5320     |  | Multiple wireless receiver module. Use to connect up to 4 wireless receivers.           |
| TR5164-443 |  | Supports 60 wireless zones, 4 wire-free keypads and 16 wireless keys. Fully supervised. |





## Modules

| Product |                                                                                    | Description                                                                                        |
|---------|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| PC5200  |   | Power supply module. Can connect up to four on supervised system.                                  |
| PC5204  |   | Power supply module. Adds four high current voltage outputs. Can connect one on supervised system. |
| PC5208  |   | Output module. Provides 8 low current PGM voltage outputs.                                         |
| PC5400  |   | Printer interface module to support serial printer.                                                |
| PC5601  |  | Status module. Tri-color LED. Supports 1 partition.                                                |


## Audio Alarm Verification

| Product |                                                                                     | Description                                                                                                 |
|---------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| PC5950  |  | Universal 2-way VOX audio verification module. Supports 4 microphones and 2 speakers. User call-in feature. |
| PC5961  |  | Stand-alone audio station. Designed for 2-way voice verification.                                           |
| PC5962  |  | Contoured audio station. Designed for 2-way voice verification for PK/RFK keypads.                          |
| PC5964  |  | Large speaker station. Designed for 2-way voice verification. Surface or single-gang box mount.             |




## Communicators

| Product  |                                                                                     | Description                                      |
|----------|-------------------------------------------------------------------------------------|--------------------------------------------------|
| 3G2060R  |  | HSPA Cellular Alarm Communicator.                |
| TL2603GR |  | Internet & HSPA Dual-Path Alarm Communicator.    |
| TL260R   |  | T-Link Internet/Intranet Alarm Communicator.     |
| 3G3070   |  | HSPA (3G) Universal Cellular Alarm Communicator. |


















## Downloading Software

| Product                                                                                  | Description                                                                       |
|------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| DLS IV  | Downloading software for remote configuration of panels/modules from a PC/laptop. |

## Telephone Interface / Automation Control Modules






| Product                                                                                         | Description                                                                                                                                        |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Escort 5580TC  | Telephone interface and automation control module. Use to turn touch-tone phone into talking keypad.                                               |
| IT-100         | Integration module with Kantech and Software House access control systems as well as other 3rd party integrations. Bidirectional RS-232 interface. |
| IT-230         | Interface module enables integration to Z-wave devices and cameras. Bidirectional RS-422 interface.                                                |

## Detectors - Wireless













| Product                                                                                         | Description                                    |
|-------------------------------------------------------------------------------------------------|------------------------------------------------|
| WS4904P        | Pet-immune passive infrared detector           |
| WLS914-433     | Dual-element passive infrared detector         |
| WS4945         | Door/window contact                            |
| WS4939       | 4-button key                                   |
| WS4938       | 1-button personal panic                        |
| WS4949       | 2-button key                                   |
| WS4959       | 12-channel 5-button wireless key               |
| WS4969       | 4-button key with built-in flashlight          |
| WT4989       | 5-button key                                   |
| WS4979       | 4-button wall plate                            |
| WS4965       | Tri-zone door/window contact                   |
| WS4920       | Wireless repeater                              |
| WS4985       | Flood detector                                 |
| EV-DW4917    | Recessed door transmitter                      |
| EV-DW4927SS  | Shock sensor with built-in door/window contact |
| EV-DW4975    | Vanishing door/window contact                  |
| WLS912L-433  | Glass-break detector                           |



## Detectors - Addressable

| Product                                                                                                                    | Description                                  |
|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|
| AMB-300                                   | PIR motion detector                          |
| AMB-500                                   | Ceiling-mount PIR motion detector            |
| AMB-600                                   | Dual-element, pet-immune PIR motion detector |
| AMP-700<br>AMP-701<br>AMP-702<br>AMP-704  | Contact modules                              |
| FSB-210                                  | Photoelectric smoke detector                 |

## Detectors - Hardwired

| Product                                                                                             | Description                                                           |
|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| AC-100           | Wall-mount glass-break detector                                       |
| AC-500           | Ceiling-mount glass-break detector                                    |
| FSA-210/410      | Photoelectric smoke detector                                          |
| LC-100-PI        | Pet-immune PIR motion detector                                        |
| BV-500           | 360° Ceiling-mount PIR motion detector                                |
| BV-600           | Dual-element, pet-immune PIR motion detector                          |
| LC-103-PIMSK     | Pet-immune dual-tech motion detector with anti-masking                |
| LC-104/124-PIMW  | Pet-immune dual-tech motion detector                                  |
| SS-102           | Shock sensor                                                          |
| LC-151           | Pet-immune dual-tech outdoor motion detector (single PIR & microwave) |
| LC-171           | Pet-immune dual-tech outdoor motion detector (double PIR & microwave) |
| AMA-100          | Glassbreak detector                                                   |



## Design Support

PowerSeries Regulatory Compliance Listings

NOTE: Refer to the individual specification sheets for additional listings applicable to the device/detector/accessory.

## US Listings

| Applicable Standard | Description                                                                  |
|---------------------|------------------------------------------------------------------------------|
| UL1023              | Standard for Burglar-Alarm Systems                                           |
| UL985               | Standard for Fire Warning Systems Units                                      |
| UL1610              | Standard for Central Station Burglar Alarm Units                             |
| UL1635              | Standard for Digital Alarm Communicator System Units                         |
| UL1637              | Standard for Home Health Care Signaling Equipment                            |
| UL365               | Standard for Police Station Connected Burglar Alarm Units and Systems        |
| UL609               | Standard for Local Burglar Alarm Units and Systems                           |
| ANSI/SIA CP-01-2000 | Control Panel Standard – Features for False Alarm Reduction                  |
| CSFM                | FCC/IC and SCFM CP-01 compliant with the Security Industry Association (SIA) |

## Canadian Listings

| Applicable Standard | Description                                                          |
|---------------------|----------------------------------------------------------------------|
| IC-CS03 Issue 9     | Industry Canada Terminal Equipment Technical Specifications          |
| ULC-S545            | Standard for Residential Fire Warning System Control Units           |
| ORD-C1023           | Standard for Burglar Alarm System Units                              |
| CAN/ULC-S304        | Standard for Central and Monitoring Station Burglar Alarm Systems    |
| CAN/ULC-S303        | Standard for Local Burglar Alarm Units and Systems                   |
| CAN/ULC-S559        | Standard for Equipment for Fire Signal Receiving Centres and Systems |

## Making Specifications Easy

Use the 3-part Construction Specifications Institute (CSI) architectural and engineering specification template to support any commercial projects. Contact your local Sales Representative for details.



# Simply Powerful

with PowerSeries Product Line

## Scalable for the Long-term

As your customer's business grows and expands over the years, so can their PowerSeries security system. PowerSeries can be easily integrated with additional security products such as Kantech and Software House access control systems for a unified security solution. Your customers can easily monitor intrusion system status as well as arm/disarm partitions from Entrapass or C•Cure software. It's peace of mind knowing that their investment is protected today and in the future. For more information visit [www.kantech.com](http://www.kantech.com) or [www.SWhouse.com](http://www.SWhouse.com).



## Moneywise Investment

With PowerSeries, the total cost of ownership is economical – year over year. Durable, quality-tested, user-friendly products from DSC out-perform to reduce false alarms.

## Hybrid System for Ultimate Flexibility

With a hybrid system, the appropriate modules, detectors and components can be easily and economically assembled around the base control panel. This modular approach is ideal for small to medium-sized commercial businesses where security requirements may evolve over time.

## Easy Installation Saves Time

The PowerSeries line reduces on-site installation time with easy enrolment and a consistent template programming structure for devices and detectors as well as a user-friendly programming software interface. Adding and upgrading additional equipment is just as easy, allowing installers to quickly move onto the next job.

## Power at the Touch of a Finger

The PowerSeries TouchScreen keypad delivers an easy interactive way to manage and control security systems - at the touch of a finger. Seamlessly integrated with other security systems, the sleek, contemporary and modern look, featured in either a clean white or a brushed silver enclosure, is valued by business owners; installers will appreciate the easy installation and programming features.